

अब घर को बनाईये tension-free







LAYER WATERPROOFING CHAMPION (LWC)

WATERPROOFING SOLUTIONS

Integral waterproofing compound for cement mortar, plaster & concrete.

HomeSure w-Shield Layer Waterproofing Champion is a chloride-free admixture. It contains surface active agents, polymers & additives. It is also used as an additive for cement concrete, mortar & plasters to make concrete cohesive by reducing cement voids / capillaries.

FEATURES







TECHNICAL DETAILS	
Nature	: Brown color liquid
Specific gravity at 27°c	: 1.05 ± 0.04
Non-volatile content, %	: 11 ± 1
рН	: 12 ± 2
Setting time, minutes, as per IS 2645:2003	: Passes
Water permeability, %, as per IS 2645:2003	: Passes
Compressive strength, MPa, as per IS 2645:2003	: More than control
Chloride content, %, as per IS 2645:2003	: Nil



AVAILABLE IN

200ml, 1L, 5L, 10L & 20L

SUPER BONDING REPAIR LATEX CHAMPION (SBR)

WATERPROOFING SOLUTIONS

Multifunctional SBR latex for waterproofing, bonding & repairing

HomeSure w-Shield Super Bonding Repair Latex Champion is a single component styrene butadiene rubber co-polymer used in mortar & concrete to promote water resistance, durability & waterproofing. It's stable in moist alkaline environments, enhancing cementitious compositions.

FEATURES







TECHNICAL DETAILS Nature : White colour liquid · SBR latex & additives Composition Specific Gravity at 27°c $: 1.05 \pm 0.04$ Non-volatile Content,% : 37-40 pH 8.5 ± 1 Viscocity, cPs : 10-50 Full Cure, Days : 7 Adhesion Strength, At 14 Days, RMP Surface, MPa : >1 (Concrete surface failure)

Slant-shear Bond Strength, at 7 Days, N/mm2, : >2 (Concrete failure)



AVAILABLE IN

200gm, 1Kg, 5Kg, 10Kg & 20Kg









अब घर को बनाईये tension-free





Walplast Products Pvt. Ltd. ISO 9001: 2015 Certified Company

Toll-Free No.: 1800 3000 6650

Email: customercare@walplast.com

Website: www.walplast.com

FOLLOW US ON





